

**BOKA FULMAR**

 AHTS MULTIPURPOSE DP2 OFFSHORE  
CONSTRUCTION VESSEL

**CONSTRUCTION / CLASSIFICATION**

Vessel built by	Drydocks World, Singapore
Year of built	2011
Classification	I ✕ HULL ✕ MACH Offshore support vessel (Anchor handling; Supply HNLS; Fire-fighting 1 -water spraying) 1; -water spraying; HNLS Unrestricted navigation, ✕ AVM-DPS, ✕ AUT-UMS, ✕ SYS-NEQ-1, ✕ SYS-IBS, MON-SHAFT, GREEN PASSPORT, CLEANSHIP, ✕ DYNAPOS AM/AT R
Flag	Belgian
Port of registry	Antwerp

**FEATURES**

Accommodation	100 berths, 14 x single cabins & 9 x double cabins & 17 x 4 person cabins, all with private facilities
Bunker capacity	1,049 m <sup>3</sup> 1,761.3 m <sup>3</sup> (including Methanol tanks and combination tanks mud/brine)
Other tanks for cargo	Potable water: 1,088.8 m <sup>3</sup> Drill water/SWB: 2,661.5 m <sup>3</sup> Liquid mud/base oil/brine: 712.3 m <sup>3</sup> Chainlockers (total): 800 m <sup>3</sup> Methanol: 196.8 m <sup>3</sup>

Discharge capacity	Fuel oil 1 x 250 m <sup>3</sup> /hr @ 9 bar Potable water 1 x 250 m <sup>3</sup> /hr @ 9 bar Drill water 2 x 250 m <sup>3</sup> /hr @ 9 bar Liquid mud 2 x 100 m <sup>3</sup> /hr @ 24 bar Base oil 1 x 125 m <sup>3</sup> /hr @ 9 bar Brine 1 x 75 m <sup>3</sup> /hr @ 18 bar Methanol 2 x 100 m <sup>3</sup> /hr @ 9 bar
Positioning	Dynamic positioning class II, Rolls Royce Icon DP system

**MAIN DATA**

Length overall	93.4 m
Length BP	82.0 m
Breadth moulded	22.0 m
Depth moulded	9.5 m
Design draught	7.7 m
Deadweight	4344 t
Gross tonnage	6776 GT
Netto tonnage	2032 NT
Bollard pull	402 t
Deck area	850 m <sup>2</sup>

**PROPULSION AND MAIN SYSTEM**

Main engine (Hybrid)	2 x MAK 16M32C, 10,728 BHP each
----------------------	---------------------------------

PTI Booster motor	2 x 3,000 kW
Total BHP	23,467 BHP
Propeller	2 x CPP, Ulstein
Azimuth thruster (FWD)	1 x Ulstein Aquamaster TCNS 92/62-220, 1,500 kW, Swing Up, CPP
Bow thruster	2 x 1,000 kW, Kamewa TT 2200 DPN CP
Azimuth thruster (AFT)	1 x Ulstein Aquamaster TCNS 92/62-220, 1,500 kW, Swing Up, CPP
Stern thruster	1 x 1,000 kW, Kamewa TT 2200 DPN CP
Fire Fighting	FIFI CLASS (1) with Water Spray. Pump: 2 x 2,095 m <sup>3</sup> /hr @ 32 m head. Monitor (water): 1 x 1,200 m <sup>3</sup> /hr @ 12 bar

## ELECTRIC POWER GENERATION

Main generator	4 x CAT 3516C rated 2,250 kW/ 690 V/ 60 Hz/ 3 Ph
Shaft alternator	2 x 4,000 kW/ 690 V/ 60 Hz/ 3 Ph
Emergency generator	1 x 370 kW/ 690 V/ 60 Hz/ 3 Ph

## DECK EQUIPMENT

Tugger winch	2 x 24 t @ 22 m/min, Brattvaag
Tugger/mooring Winch (AFT)	2 x 17 t @ 15 m/min, Brattvaag
Deck crane	1 x ABAS KDE400 AHC Elbow Derrick crane, SWL: 20 t @ 20 m
Cargo rail crane	2 x Rolls Royce Marine SDO Moveable Hydraulic Deck Crane, SWL: 3 t @ 14.3 m, 5 t @ 10 m
A Frame (optional)	1 x 250 t AHC capability A Frame for LAR of subsea equipment up to depth of 3,000 msw.
Moonpool	7.0 m x 7.0 m

## TOWING AND ANCHOR HANDLING EQUIPMENT

### SPECIAL HANDLING DRUM

Brake/pull	600 t brake, 500 t pull
Drum capacity	14,800 m x 76 mm (Ø) Wire rope/ 2,180 m x 203 mm (Ø) synthetic rope
Tugger/mooring winch (AFT)	2 x 17 t @ 15 m/min, Brattvaag
Tugger winch	2 x 24 t @ 22 m/min, Brattvaag

## BOKA FULMAR

AHTS MULTIPURPOSE DP2 OFFSHORE CONSTRUCTION VESSEL

### TOWING/WORKING DRUM (PORT SIDE)

Brake/pull	700 t brake, 450 t pull
Drum capacity	3,500 m x 76 mm (Ø) wire rope/ 490 m x 203 mm (Ø) synthetic rope
Chain Gypsy	2 x 76 mm (Ø), 2 x 97 mm (Ø), 2 x 120 mm

### TOWING/WORKING DRUM (STARBOARD SIDE)

Brake/pull	700 t brake, 450 t pull
Drum capacity	3,800 m x 90 mm (Ø) Wire rope/ 800 m x 203 mm (Ø) Synthetic rope
Chain Gypsy	2 x 76 mm (Ø), 2 x 97 mm (Ø), 2 x 120 mm

### AFT-DECK

Karm Fork	2 x Karm Fork, SWL: 800 t
Tow pin	4 x Tow pin, SWL: 800 t
Split stern roller	2 x 2.9 x 4.5 m (Ø), SWL: 750 t

### SAFETY EQUIPMENT


Life raft	4 x 30 persons, 4 x 65 persons, Viking RFD
Rescue boat	1 x 6 persons, Norsafe MAKO 6,55, 200 hp
Davit	NDM PRHE 35, SWL: 3.5 t

### ROV SYSTEM


ROV	Heavy Work Class ROV, working up to depths of 3,000 msw
-----	---

### NAVIGATION AND COMMUNICATION EQUIPMENT


GMDSS (Area 3)	Furuno RC-1800T
Inmarsat	2
VSAT	1
Gyrocompass	3 x Raytheon Anschutz STD22
DGPS	1 x Kongsberg Seatex DPS200/132 1 x Kongsberg Seatex DPS20
Joystick	RRM PosCon Joystick Fitted
Anemometer	2 x RM Young
ECDIS	1 x Furuno ECDIS FEA-2107
SAT TV System	1
MRU5	3



**SIDE VIEW**



**A-DECK**



**MAIN DECK**

**TOP VIEW DECK LEVEL**